AERATORS < 5l/min
OVERVIEW



Ideal Standard

INTRODUCTION TO:
AERATORS

Aerators are found in nearly all kitchen and lavatory fittings. An aerator is a key component in the overall performance of the fitting.

Here is how you should expect your aerator to perform:

- **CONTROL THE STREAM STRAIGHTNESS AND DIAMETER.**
- **REDUCE SPLASH BY AERATING THE STREAM.**
- **ELIMINATING SIDE SPRAY.**
- **SAVE WATER AND REDUCE ENERGY COSTS.**
- **MEET LOCAL PLUMBING CODES AND STANDARDS**



European Standard

Requirements on flow rate and noise reduction: the requirements for faucet attachments with or without aeration are described in the European standard EN 246 «Sanitary tapware – General specifications for flow rate regulators».

The EU Taxonomy threshold of 6 L/min at 3 bar water pressure

AERATORS <5 l/min:

OVERVIEW

The EU Taxonomy threshold of 6 L/min at 3 bar water pressure




CERAPLUS, SENSORFLOW, CERABASE, CERAFLEX, CERAPLAN
M24x1

Without housing	With housing
1,3 l/min [0,35gpm]	1,3 l/min [0,35gpm]
A861606NU	A861609AA
	
1,9 l/min [0,5gpm]	1,9 l/min [0,5gpm]
A861607NU	A861610AA
	
3 l/min [0,8gpm]	3 l/min [0,8gpm]
A861608NU	A861611AA
	

SENSORFLOW 21+
TT Insert



Without housing	With housing
3,8 l/min [1gpm]	1,9 l/min [0,5gpm]
A891908NU	A861907LE/LC/XG/C5
	
4 l/min [1.05gpm]	
E960061NU	
	
4 l/min [1.05gpm]	
A861944NU	
	

JOY
M16,5x1



Without housing
1,3 l/min [0,35gpm]
A861612NU

1,9 l/min [0,5gpm]
A861613NU


*See detailed product list

CERAPLUS & SENSORFLOW WAVE
(Aerator size: M24x1)



CODE	DESCRIPTION	INSERT	INSERT	INSERT	FULL ASSEMBLY	FULL ASSEMBLY	FULL ASSEMBLY
		1,3 l/min [0,35gpm]	1,9 l/min [0,5gpm]	3 l/min [0,8gpm]	1,3 l/min [0,35gpm]	1,9 l/min [0,5gpm]	3 l/min [0,8gpm]
A6162AA/A6145AA	**Sensorflow Wave / Ceraplus Electronic Basin Mixer** (BATTERY OPERATED)	1-10 bar	1-10 bar	1-10 bar	1-10 bar	1-10 bar	1-10 bar
A6163AA/A6146AA	**Sensorflow Wave /Ceraplus Electronic Basin Mixer** (MAINS OPERATED)	Aerated	Aerated	Spray	Aerated	Aerated	Spray
A6160AA/A6143AA	**Sensorflow Wave / Ceraplus Electronic Basin No Mixer** (BATTERY OPERATED)	A861606NU	A861607NU	A861608NU	A861609AA	A861610AA	A861611AA
A6161AA/A6144AA	**Sensorflow Wave / Ceraplus Electronic Basin No Mixer** (MAINS OPERATED)						

The EU Taxonomy threshold of 6 L/min at 3 bar water pressure

SENSORFLOW & SENSORFLOW E
(Aerator size: M24x1)



CODE	DESCRIPTION	INSERT	INSERT	INSERT	FULL ASSEMBLY	FULL ASSEMBLY	FULL ASSEMBLY
		1,3 l/min [0,35gpm]	1,9 l/min [0,5gpm]	3 l/min [0,8gpm]	1,3 l/min [0,35gpm]	1,9 l/min [0,5gpm]	3 l/min [0,8gpm]
		1-10 bar	1-10 bar	1-10 bar	1-10 bar	1-10 bar	1-10 bar
		Aerated	Aerated	Spray	Aerated	Aerated	Spray
		A861606NU	A861607NU	A861608NU	A861609AA	A861610AA	A861611AA
A7550AA/A7559AA	**Sensorflow Electronic Basin Mixer** (BATTERY OPERATED)						
A7549AA/A7558AA	**Sensorflow Electronic Basin Mixer** (MAINS OPERATED)						
A7547AA/A7556AA	**Sensorflow Electronic Basin No Mixer** (BATTERY OPERATED)						
A7548AA/A7557AA	**Sensorflow Electronic Basin No Mixer** (MAINS OPERATED)						
A7554AA/A7563AA	**Sensorflow Electronic Basin Mixer** (BATTERY OPERATED, PANEL MOUNTED)						
A7555AA/A7564AA	**Sensorflow Electronic Basin Mixer** (MAINS OPERATED, PANEL MOUNTED)						
A7552AA/A7561AA	**Sensorflow Electronic Basin No Mixer** (BATTERY OPERATED, PANEL MOUNTED)						
A7553AA/A7562AA	**Sensorflow Electronic Basin No Mixer** (MAINS OPERATED, PANEL MOUNTED)						
A7551AA/A7560AA	**Sensorflow Electronic Basin No Mixer** (BATTERY OPERATED, WALL MOUNTED)						









The EU Taxonomy threshold of 6 L/min at 3 bar water pressure

Ideal Standard

SENSORFLOW 21+
(Aerator Size: TT insert)



CODE	DESCRIPTION	INSERT	INSERT	INSERT	FULL ASSEMBLY
		3,8 l/min [1gpm]	4 l/min [1,05gpm]	4 l/min [1,05gpm]	1,9 l/min [0,5gpm]
		1-10 bar	0,1-1 bar	0,1-1 bar	1-10 bar
		Laminar	Aerated	Laminar	Aerated
		A861908NU	E960061NU	A861944NU	A861907LE/LC/XG/C5
A8434LE/A8437LE	**Sensorflow 21+ Electronic Basin No Mixer** (BATTERY OPERATED)				
A8436LE/A8438LE	**Sensorflow 21+ Electronic Basin No Mixer** (MAINS OPERATED)				
A8435LE	**Sensorflow 21+ Electronic Basin No Mixer** (LINKED)				
A8428LE A8431LE	**Sensorflow 21+ Electronic Basin No Mixer** (BATTERY OPERATED, PANEL MOUNTED)				
A8429LE A8432LE	**Sensorflow 21+ Electronic Basin No Mixer** (MAINS OPERATED, PANEL MOUNTED)				
A8430LE A8433LE	**Sensorflow 21+ Electronic Basin No Mixer** (LINKED, PANEL MOUNTED)				









The EU Taxonomy threshold of 6 L/min at 3 bar water pressure

Ideal Standard

Ideal Standard

IDEALSTANDARD.COM